

Spectral theory for magnetic Schrödinger operators and applications to liquid crystals (after Bauman-Calderer-Liu-Phillips, Pan, Helffer-Pan)

Bernard Helffer (Univ Paris-Sud et CNRS)

EMS Conference in Copenhagen (March 2008)

In [P2], based on the de Gennes analogy between liquid crystals and superconductivity [dG2], X. Pan introduced the critical wave number Q_{c_3} (which is an analog of the upper critical field H_{c_3} for superconductors) and predicted the existence of a surface smectic state, which was supposed to be an analog of the surface superconducting state. In this talk we study an approximate form of the Landau-de Gennes functional (modelling the properties of liquid crystals) and discuss the behavior of its minimizers. Our results (obtained with X. Pan) suggest that a liquid crystal with large Ginzburg-Landau parameter κ will be in the surface smectic state if the number $q\tau$ lies asymptotically between κ^2 and κ^2/Θ_0 , where Θ_0 is the lowest eigenvalue of the Schrödinger operator with a unit magnetic field in the half space, which satisfies $0 < \Theta_0 < 1$. This is a natural extension of what I have done in collaboration with S. Fournais in superconductivity.

The energy for the model in Liquid Crystals can be written¹ as

$$\mathcal{E}[\psi, \mathbf{n}] = \int_{\Omega} \left\{ |\nabla_{q\mathbf{n}} \psi|^2 - \kappa^2 |\psi|^2 + \frac{\kappa^2}{2} |\psi|^4 + K_1 |\operatorname{div} \mathbf{n}|^2 + K_2 |\mathbf{n} \cdot \operatorname{curl} \mathbf{n} + \tau|^2 + K_3 |\mathbf{n} \times \operatorname{curl} \mathbf{n}|^2 \right\} dx,$$

where :

- $\Omega \subset \mathbb{R}^3$ is the region occupied by the liquid crystal,
- ψ is a complex-valued function called the *order parameter*,
- \mathbf{n} is a real vector field of unit length called *director field*,
- q is a real number called *wave number*,
- τ is a real number measuring the chiral pitch,
- $K_1 > 0$, $K_2 > 0$ and $K_3 > 0$ are called the *elastic coefficients*,
- $\kappa > 0$ depends on the material and on temperature.

¹This is an already simplified model where boundary terms have been eliminated.

The questions are then :

What is the minimum of the energy ?

What is the nature of the minimizers ?

The questions are then :

What is the minimum of the energy ?

What is the nature of the minimizers ?

Of course the answer depends heavily on the various parameters !!

As in the theory of superconductivity, a special role will be played by the following critical points of the functional, i.e. the pairs

$$(0, \mathbf{n}) ,$$

where \mathbf{n} should minimize the second part :

$$\int_{\Omega} \left\{ K_1 |\operatorname{div} \mathbf{n}|^2 + K_2 |\mathbf{n} \cdot \operatorname{curl} \mathbf{n} + \tau|^2 + K_3 |\mathbf{n} \times \operatorname{curl} \mathbf{n}|^2 \right\} dx .$$

These special solutions are called “nematic phases” and one is naturally asking if they are minimizers or local minimizers of the functional.

For $\tau > 0$, let us consider $\mathcal{C}(\tau)$ the set of the \mathbb{S}^2 -valued vectors satisfying :

$$\operatorname{curl} \mathbf{n} = -\tau \mathbf{n} , \quad \operatorname{div} \mathbf{n} = 0 .$$

For $\tau > 0$, let us consider $\mathcal{C}(\tau)$ the set of the \mathbb{S}^2 -valued vectors satisfying :

$$\operatorname{curl} \mathbf{n} = -\tau \mathbf{n}, \quad \operatorname{div} \mathbf{n} = 0 .$$

It can be shown that $\mathcal{C}(\tau)$ consists of the vector fields \mathbb{N}_τ^Q such that, for some $Q \in \operatorname{SO}(3)$,

$$\mathbb{N}_\tau^Q(x) \equiv Q \mathbb{N}_\tau(Q^t x), \quad \forall x \in \Omega, \quad (1)$$

where

$$\mathbb{N}_\tau(y_1, y_2, y_3) = (\cos(\tau y_3), \sin(\tau y_3), 0), \quad \forall y \in \mathbb{R}^3. \quad (2)$$

For $\tau > 0$, let us consider $\mathcal{C}(\tau)$ the set of the \mathbb{S}^2 -valued vectors satisfying :

$$\operatorname{curl} \mathbf{n} = -\tau \mathbf{n}, \quad \operatorname{div} \mathbf{n} = 0 .$$

It can be shown that $\mathcal{C}(\tau)$ consists of the vector fields \mathbb{N}_τ^Q such that, for some $Q \in \operatorname{SO}(3)$,

$$\mathbb{N}_\tau^Q(x) \equiv Q \mathbb{N}_\tau(Q^t x), \quad \forall x \in \Omega, \quad (1)$$

where

$$\mathbb{N}_\tau(y_1, y_2, y_3) = (\cos(\tau y_3), \sin(\tau y_3), 0), \quad \forall y \in \mathbb{R}^3. \quad (2)$$

Note that is also equivalent, when $|\mathbf{n}|^2 = 1$ to

$$\operatorname{div} \mathbf{n} = 0, \quad \mathbf{n} \cdot \operatorname{curl} \mathbf{n} + \tau = 0, \quad \mathbf{n} \times \operatorname{curl} \mathbf{n} = 0. \quad (3)$$

So the last three terms in the functional vanish iff $\mathbf{n} \in \mathcal{C}(\tau)$.

As a consequence, if we denote by

$$C(K_1, K_2, K_3, \kappa, q, \tau) = \inf_{(\psi, \mathbf{n}) \in \mathbb{V}(\Omega)} \mathcal{E}[\psi, \mathbf{n}],$$

the infimum of the energy over the natural maximal form domain of the functional, then

$$C(K_1, K_2, K_3, \kappa, q, \tau) \leq c(\kappa, q, \tau), \quad (4)$$

where

$$c(\kappa, q, \tau) = \inf_{\mathbf{n} \in \mathcal{C}(\tau)} \inf_{\psi} \mathcal{G}_{q\mathbf{n}}(\psi) \quad (5)$$

and $\mathcal{G}_{q\mathbf{n}}(\psi)$ is the so called the reduced Ginzburg-Landau functional.

Given a vector field \mathbf{A} , this functional is defined on $H^1(\Omega, \mathbb{C})$ by

$$\psi \mapsto \mathcal{G}_{\mathbf{A}}[\psi] = \int_{\Omega} \{ |\nabla_{\mathbf{A}} \psi|^2 - \kappa^2 |\psi|^2 + \frac{\kappa^2}{2} |\psi|^4 \} dx. \quad (6)$$

For convenience, we also write $\mathcal{G}_{\mathbf{A}}[\psi]$ as $\mathcal{G}[\psi, \mathbf{A}]$.

So we have

$$c(\kappa, q, \tau) = \inf_{\mathbf{n} \in \mathcal{C}(\tau), \psi \in H^1(\Omega, \mathbb{C})} \mathcal{G}[\psi, q\mathbf{n}]. \quad (7)$$

and

$$\mathcal{E}(\psi, \mathbf{n}) = \mathcal{G}[\psi, q\mathbf{n}], \quad (8)$$

if

$$\mathbf{n} \in \mathcal{C}(\tau).$$

We have seen that in full generality that

$$C(K_1, K_2, K_3, \kappa, q, \tau) \leq c(\kappa, q, \tau) . \quad (9)$$

We have seen that in full generality that

$$C(K_1, K_2, K_3, \kappa, q, \tau) \leq c(\kappa, q, \tau). \quad (9)$$

Conversely, it can be shown [BCLP, P2, HP2], that when the elastic parameters tend to $+\infty$, the converse is asymptotically true.

We have seen that in full generality that

$$C(K_1, K_2, K_3, \kappa, q, \tau) \leq c(\kappa, q, \tau). \quad (9)$$

Conversely, it can be shown [BCLP, P2, HP2], that when the elastic parameters tend to $+\infty$, the converse is asymptotically true.

Proposition 1

$$\lim_{K_1, K_2, K_3 \rightarrow +\infty} C(K_1, K_2, K_3, \kappa, q, \tau) = c(\kappa, q, \tau). \quad (10)$$

So $c(\kappa, q, \tau)$ is a good approximation for the minimal value of \mathcal{E} for large K_j 's.

Note that an interesting open problem is to control the rate of convergence in (10).

We now examine the non-triviality of the minimizers realizing $c(\kappa, q, \tau)$.

We now examine the non-triviality of the minimizers realizing $c(\kappa, q, \tau)$.

As for the Ginzburg-Landau functional in superconductivity, this question is closely related to the analysis of the lowest eigenvalue $\mu(q\mathbf{n})$ of the Neumann realization of the magnetic Schrödinger operator

$$-\nabla_{q\mathbf{n}}^2$$

in Ω , with

$$\nabla_{q\mathbf{n}} = \nabla - iq\mathbf{n} ,$$

We now examine the non-triviality of the minimizers realizing $c(\kappa, q, \tau)$.

As for the Ginzburg-Landau functional in superconductivity, this question is closely related to the analysis of the lowest eigenvalue $\mu(q\mathbf{n})$ of the Neumann realization of the magnetic Schrödinger operator

$$-\nabla_{q\mathbf{n}}^2$$

in Ω , with

$$\nabla_{q\mathbf{n}} = \nabla - iq\mathbf{n},$$

namely $\mu = \mu(q\mathbf{n})$ is the lowest eigenvalue of the following problem

$$\begin{cases} -\nabla_{q\mathbf{n}}^2 \phi = \mu \phi & \text{in } \Omega, \\ \nu \cdot \nabla_{q\mathbf{n}} \phi = 0 & \text{on } \partial\Omega, \end{cases} \quad (11)$$

where ν is the unit outer normal of $\partial\Omega$.

But the new point is that we will minimize over $\mathbf{n} \in \mathcal{C}(\tau)$. So we shall actually meet

$$\mu_*(q, \tau) = \inf_{\mathbf{n} \in \mathcal{C}(\tau)} \mu(q\mathbf{n}). \quad (12)$$

Our main comparison statement (which is the analog of a statement in Fournais-Helffer [FH3] for surface superconductivity) is :

Proposition 2

$$-\frac{\kappa^2}{2} [1 - \kappa^{-2} \mu_*(q, \tau)]_+^2 \inf_{\mathbf{n} \in \mathcal{C}(\tau)} \inf_{\{\mathcal{G}_{q\mathbf{n}}[\psi] = c(\kappa, q, \tau)\}} \frac{(\int_{\Omega} |\psi|^2 dx)^2}{\int_{\Omega} |\psi|^4 dx} \leq c(\kappa, q, \tau). \quad (13)$$

and

$$c(\kappa, q, \tau) \leq -\frac{\kappa^2}{2} [1 - \kappa^{-2} \mu_*(q, \tau)]_+^2 \sup_{\mathbf{n} \in \mathcal{C}(\tau)} \sup_{\phi \in Sp(q\mathbf{n})} \frac{(\int_{\Omega} |\phi|^2 dx)^2}{\int_{\Omega} |\phi|^4 dx}, \quad (14)$$

where $Sp(q\mathbf{n})$ is the eigenspace associated to $\mu(q\mathbf{n})$.

The first inequality implies, using Hölder,

$$-\frac{\kappa^2|\Omega|}{2}[1 - \kappa^{-2}\mu_*(q, \tau)]^2 \leq c(\kappa, q, \tau) \quad (15)$$

The first inequality implies, using Hölder,

$$-\frac{\kappa^2|\Omega|}{2}[1 - \kappa^{-2}\mu_*(q, \tau)]^2 \leq c(\kappa, q, \tau) \quad (15)$$

This shows also that $c(\kappa, q, \tau)$ is strictly negative if and only if $\mu_*(\kappa, \tau) < \kappa^2$.

As a consequence of Proposition 2, we obtain that the transition from nematic phases to non-nematic phases (the so called smectic phases) is strongly related to the analysis of the solution of

$$1 - \kappa^{-2} \mu_*(q, \tau) = 0 . \quad (16)$$

As a consequence of Proposition 2, we obtain that the transition from nematic phases to non-nematic phases (the so called smectic phases) is strongly related to the analysis of the solution of

$$1 - \kappa^{-2} \mu_*(q, \tau) = 0 . \quad (16)$$

This is a pure spectral problem concerning a family indexed by $\mathbf{n} \in \mathcal{C}(\tau)$ of Schrödinger operators with magnetic field $-\nabla_{q\mathbf{n}}^2$.

As a consequence of Proposition 2, we obtain that the transition from nematic phases to non-nematic phases (the so called smectic phases) is strongly related to the analysis of the solution of

$$1 - \kappa^{-2} \mu_*(q, \tau) = 0 . \quad (16)$$

This is a pure spectral problem concerning a family indexed by $\mathbf{n} \in \mathcal{C}(\tau)$ of Schrödinger operators with magnetic field $-\nabla_{q\mathbf{n}}^2$. In the analysis of (16), the monotonicity of $q \mapsto \mu_*(q, \tau)$ is an interesting open question (see Fournais-Helffer [FH3] in Surface Superconductivity).

As a consequence of Proposition 2, we obtain that the transition from nematic phases to non-nematic phases (the so called smectic phases) is strongly related to the analysis of the solution of

$$1 - \kappa^{-2} \mu_*(q, \tau) = 0. \quad (16)$$

This is a pure spectral problem concerning a family indexed by $\mathbf{n} \in \mathcal{C}(\tau)$ of Schrödinger operators with magnetic field $-\nabla_{q\mathbf{n}}^2$. In the analysis of (16), the monotonicity of $q \mapsto \mu_*(q, \tau)$ is an interesting open question (see Fournais-Helffer [FH3] in Surface Superconductivity).

This will permit indeed to find a unique solution of (16) permitting a natural definition of the critical value $Q_{C3}(\kappa, \tau)$.

We have proved with Pan that if τ stays in a bounded interval, then this quantity and $\mu_*(q, \tau)$ can be controlled in two regimes

- ▶ $\sigma \rightarrow 0$,
- ▶ $\sigma \rightarrow +\infty$

where

$$\sigma = q\tau$$

which is in some sense the leading parameter in the theory.

A simpler question which is partially solved in Pan [P2] (with the help of [HM3]) and corresponds to the case $\tau = 0$ is the following :

A simpler question which is partially solved in Pan [P2] (with the help of [HM3]) and corresponds to the case $\tau = 0$ is the following :

Given a strictly convex open set, find the direction \mathbf{h} of the constant magnetic field giving asymptotically as $\sigma \rightarrow +\infty$ the lowest energy for the Neumann realization in Ω of the Schrödinger operator with magnetic field $\sigma \mathbf{h}$.

When looking at the general problem, various problems occur. The magnetic field $-q\tau\mathbf{n}$ (corresponding when $\mathbf{n} \in \mathcal{C}(\tau)$ to the magnetic potential $q\mathbf{n}$) is no more constant, so one should extend the analysis of Helffer-Morame [HM3] to this case.

²This condition can be relaxed [Ray] at the price of a worse remainder.

When looking at the general problem, various problems occur. The magnetic field $-q\tau\mathbf{n}$ (corresponding when $\mathbf{n} \in \mathcal{C}(\tau)$ to the magnetic potential $q\mathbf{n}$) is no more constant, so one should extend the analysis of Helffer-Morame [HM3] to this case.

A first analysis (semi-classical in spirit) gives, as $\sigma = q\tau \rightarrow +\infty$,

$$\mu_*(q, \tau) = \Theta_0(q\tau) + \mathcal{O}((q\tau)^{\frac{2}{3}}) \quad (17)$$

where the remainder is controlled uniformly for² $\tau \in]0, \tau_0]$.

²This condition can be relaxed [Ray] at the price of a worse remainder.

When looking at the general problem, various problems occur. The magnetic field $-q\tau\mathbf{n}$ (corresponding when $\mathbf{n} \in \mathcal{C}(\tau)$ to the magnetic potential $q\mathbf{n}$) is no more constant, so one should extend the analysis of Helffer-Morame [HM3] to this case.

A first analysis (semi-classical in spirit) gives, as $\sigma = q\tau \rightarrow +\infty$,

$$\mu_*(q, \tau) = \Theta_0(q\tau) + \mathcal{O}((q\tau)^{\frac{2}{3}}) \quad (17)$$

where the remainder is controlled uniformly for² $\tau \in]0, \tau_0]$. This leads (assuming the uniqueness of Q_{C3}), to

$$\tau Q_{C3}(\kappa, \tau) = \frac{\kappa^2}{\Theta_0} + \mathcal{O}(\kappa^{\frac{4}{3}}). \quad (18)$$

²This condition can be relaxed [Ray] at the price of a worse remainder.

A second analysis (perturbative in spirit) gives as $\sigma = q\tau \rightarrow 0$,

$$\mu_*(q, \tau) = \Theta(\tau)(q\tau)^2 + \mathcal{O}((q\tau)^4) \quad (19)$$

where the remainder is controlled uniformly for $\tau \in]0, \tau_0]$,

A second analysis (perturbative in spirit) gives as $\sigma = q\tau \rightarrow 0$,

$$\mu_*(q, \tau) = \Theta(\tau)(q\tau)^2 + \mathcal{O}((q\tau)^4) \quad (19)$$

where the remainder is controlled uniformly for $\tau \in]0, \tau_0]$,
and $\Theta(\tau)$ is a continuous function on $[0, \tau_0]$ such that

$$\Theta(0) = \inf_{\mathbf{h} \in \mathbb{S}^2} \frac{1}{|\Omega|} \int_{\Omega} |\mathbf{A}_{\mathbf{h}}|^2 dx, \quad (20)$$

where $\mathbf{A}_{\mathbf{h}}$ is the unique solution in Ω of

$$\operatorname{div} \mathbf{A}_{\mathbf{h}} = 0, \quad \operatorname{curl} \mathbf{A}_{\mathbf{h}} = \mathbf{h}, \quad \text{and } \mathbf{A}_{\mathbf{h}} \cdot \nu = 0 \text{ on } \partial\Omega. \quad (21)$$

A second analysis (perturbative in spirit) gives as $\sigma = q\tau \rightarrow 0$,

$$\mu_*(q, \tau) = \Theta(\tau)(q\tau)^2 + \mathcal{O}((q\tau)^4) \quad (19)$$





where the remainder is controlled uniformly for $\tau \in]0, \tau_0]$,
and $\Theta(\tau)$ is a continuous function on $[0, \tau_0]$ such that






$$\Theta(0) = \inf_{\mathbf{h} \in \mathbb{S}^2} \frac{1}{|\Omega|} \int_{\Omega} |\mathbf{A}_{\mathbf{h}}|^2 dx, \quad (20)$$






where $\mathbf{A}_{\mathbf{h}}$ is the unique solution in Ω of





$$\operatorname{div} \mathbf{A}_{\mathbf{h}} = 0, \quad \operatorname{curl} \mathbf{A}_{\mathbf{h}} = \mathbf{h}, \quad \text{and } \mathbf{A}_{\mathbf{h}} \cdot \nu = 0 \text{ on } \partial\Omega. \quad (21)$$






One can also give an asymptotic of $c(\kappa, q, \tau)$.







-  S. Agmon, *Lectures on exponential decay of solutions of second order elliptic equations: bounds on eigenfunctions of N-body Schrodinger operators*, Princeton Univ. Press, NJ, 1982.
-  Y. Almog, *Thin boundary layers of chiral smectics*, Preprint June 2007 (to appear in CVPDE).
-  P. Bauman, M. Calderer, C. Liu and D. Phillips, *The phase transition between chiral nematic and smectic A^* liquid crystals*, Arch. Rational Mech. Anal. 165 (2002), 161-186.
-  M. C. Calderer, *Studies of layering and chirality of smectic A^* liquid crystals*, Mathematical and computer Modelling, **34** (2001), 1273-1288.






-  R. Dautray and J.L. Lions, *Mathematical analysis and numerical methods for science and technology*, Berlin-Springer Verlag (1988-1995).
-  P. G. De Gennes, *Superconductivity of Metals and Alloys*, W. A. Benjamin, Inc., 1966.
-  P. G. de Gennes, *An analogy between superconductors and smectics A*, Solid State Communications, **10** (1972), 753-756.
-  P. G. de Gennes, *Some remarks on the polymorphism of smectics*, Molecular Crystals and Liquid Crystals, **21** (1973), 49-76.
-  P. G. de Gennes and J. Prost, *The Physics of Liquid Crystals*, second edition, Oxford Science Publications, Oxford, 1993.

-  L. C. Evans, *Weak Convergence Methods for Nonlinear Partial Differential Equations*, Regional Conference Series in Mathematics, vol. **74**, Amer. Math. Soc., Providence, 1990.
-  S. Fournais and B. Helffer, *On the third critical field in Ginzburg-Landau theory*, Comm. Math. Phys., **266** (2006), 153-196.
-  S. Fournais and B. Helffer, *Strong diamagnetism for general domains and applications*, Ann. Inst. Fourier 2008.
-  S. Fournais and B. Helffer, *On the Ginzburg-Landau critical field in three dimensions*, arXiv:math-ph/0703047v1, March 2007. To appear in CPAM (2008).
-  S. Fournais and B. Helffer, *Spectral methods in surface superconductivity*. Book in preparation.

-  B. Helffer and A. Morame, *Magnetic bottles in connection with superconductivity*, J. Functional Anal., **185** (2001), 604-680.
-  B. Helffer and A. Morame, *Magnetic bottles for the Neumann problem: the case of dimension 3*, Proceedings of the Indian Academy of Sciences-Mathematical Sciences, **112**: (1) (2002), 71-84.
-  B. Helffer and A. Morame, *Magnetic bottles for the Neumann problem: curvature effects in the case of dimension 3 - (general case)*, Ann. Sci. Ecole Norm. Sup. **37** (1) (2004), 105-170.
-  B. Helffer and X. B. Pan, *Upper critical field and location of surface nucleation of superconductivity*, Ann. Inst. Henri Poincaré, Analyse Non Linéaire, **20** (1), 2003, 145-181.

-  B. Helffer and X. B. Pan, *Reduced Landau-de Gennes Functional and Surface Smectic State of Liquid Crystals* Submitted (2008).
-  T. Kato *Perturbation theory for linear operators*. New York, Springer-Verlag (1966).
-  F. H. Lin and X. B. Pan, *Magnetic field-induced instabilities in liquid crystals*, SIAM J. Math. Anal., **38** (5) (2007), 1588-1612.
-  K. Lu and X. B. Pan, *Gauge invariant eigenvalue problems in \mathbb{R}^2 and in \mathbb{R}_+^2* , Trans. Amer. Math. Soc., **352** (2000), 1247-1276.
-  K. Lu and X. B. Pan, *Estimates of the upper critical field for the Ginzburg-Landau equations of superconductivity*, Physica D, **127** : (1-2) (1999), 73-104.

-  K. Lu and X. B. Pan, *Surface nucleation of superconductivity in 3-dimension*, J. Diff. Equations, **168** (2000), 386-452.
-  R. Montgomery, *Hearing the zero locus of a magnetic field*. Comm. Math. Phys. **168** (3) (1995), 651-675.
-  X. B. Pan, *Surface superconductivity in applied fields above H_{C_2}* , Commun. Math. Phys., **228** (2002), 327-370.
-  X. B. Pan, *Landau-de Gennes model of liquid crystals and critical wave number*, Comm. Math. Phys., **239** (1-2) (2003), 343-382.
-  X. B. Pan, *Superconductivity near critical temperature*, J. Math. Phys., **44** (2003), 2639-2678.
-  X. B. Pan, *Surface superconductivity in 3-dimensions*, Trans. Amer. Math. Soc., **356** (10) (2004), 3899-3937.

-  X. B. Pan, *Landau-de Gennes model of liquid crystals with small Ginzburg-Landau parameter*, SIAM J. Math. Anal., **37** (5) (2006), 1616-1648.
-  X. B. Pan, *An eigenvalue variation problem of magnetic Schrödinger operator in three-dimensions*, preprint May 2007.
-  X. B. Pan, *Analogies between superconductors and liquid crystals: nucleation and critical fields*, in: *Asymptotic Analysis and Singularities*, Advanced Studies in Pure Mathematics, Mathematical Society of Japan, Tokyo, **47-2** (2007), 479-517.
-  X. -B. Pan. and K.H. Kwek, *Schrödinger operators with non-degenerately vanishing magnetic fields in bounded domains*. Transactions of the AMS **354** (10) (2002), p. 4201-4227.
-  N. Raymond, *In preparation*.



M. Reed and B. Simon, *Methods of modern Mathematical Physics, Vol. I-IV*. Academic Press, New York.